GUJARAT TECHNOLOGICAL UNIVERSITY

BE- SEMESTER-V (NEW) EXAMINATION – WINTER 2024

Sul	bject	Code:3151311 Date:25-11-2024	
	•	Name: Groundwater Hydrology and Contamination	
		0:30 AM TO 01:00 PM Total Marks:70	
Inst	ruction	ns: Attempt all questions.	
	2. 3. 4.	Make suitable assumptions wherever necessary. Figures to the right indicate full marks.	
Q.1	(a)	Define following terms: (1) Porosity (2) Permeability (3) Transmissibility.	03
	(b)	Explain the Darcy's law. What is its limitation? Discuss its validity.	04
	(c)	Write down the ground water quality criteria for drinking water.	07
Q.2	(a)	What is cone of depression?	03
	(b)	Explain different artificial recharge methods of ground water.	04
	(c)	What is ground water? Discuss vertical distribution of ground water with neat Sketch.	07
		OR	
	(c)	Describe the occurrences of ground water in unconfined & confined aquifer with neat sketch.	07
Q.3	(a)	Explain the different methods of waste water recharge for reuse.	03
	(b)	Explain site selection criteria for artificial recharge.	04
	(c)	Derive the expression for steady radial groundwater flow in Confined Aquifer.	07
		OR	
Q.3	(a)	Enlist & explain ground water remediation methods.	03
	(b)	Explain induced recharge method with their flow pattern.	04
	(c)	Derive the expression for steady radial groundwater flow in un confined Aquifer.	07
Q.4	(a)	What do you mean by Perched aquifer?	03
	(b)	Explain Pumping test to estimate safe yield from an open well.	04
	(c)	Water is pumped out at the rate of 2500 lit/min from a well of 0.3 m diameter, penetrating fully in an aquifer of 30 m thickness. The draw downs observed in two adjoining wells at 20 m and 120 m from the pumping well are 8 m and 0.6 m respectively. Determine the average hydraulic conductivity. OR	07
Q.4	(a)	What do you mean by Leaky aquifer?	03
	(b)	Explain the recuperation test to estimate the safe yield of an open well.	04
	(c)	A well penetrates fully a 10 m thick water bearing stratum of medium sand having coefficient of permeability of 0.05 m/sec. the well radius is 10cm and is to be worked under a drawdown of 5 m at the well face. Calculate the discharge from the well. What will be the percentage increase in the discharge if the radius of the well is doubled? Take R= 300m in each case.	07

Q.5	(a)	A pumping test was conducted for an open well of diameter 3.6m. the water was pumped out at a constant rate of 300lit/min. find specific yield. Take h=3.5 m.	03
	(b)	Explain Artificial recharge for "energy purpose".	04
	(c)	An artesian tube well has a diameter of 20 cm. the thickness of an aquifer is 30m and its permeability is 40 m/day. Find its yield under a drawdown of 5 m at the well face use radius of influence as recommended by sichardt. OR	07
Q.5	(a)	Write the assumptions made in dupuit's theory	03
	(b)	Explain in detail different sources responsible for ground water pollution with causes.	04
	(c)	Design a tube well for the following data. 1) yield required = 0.081cumsec 2) Thickness of confined aquifer = 30 m 3) Radius of circle influenced = 300 m 4) Permeability coefficient = 60 m/day 5) Draw down = 5.1 m.	07
